

	Application No.	Applicant(s)
Notice of Allowability	09/823,583 Examiner	LE ET AL.
Notice of Anomabinity	Examiner	Artonic
	YOUNG T. TSE	2637
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to the amendment filed 25 January 2005.		
2. The allowed claim(s) is/are 1-12 and 14-40.		
3. The drawings filed on 30 March 2001 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply MENT of this application.	complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawi	ngs in the front (not the back) of d).
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL	must be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☒ Examiner's Amendo	Patent Application (PTO-152) (PTO-413), te ment/Comment ent of Reasons for Allowance
of Biological Material .	3. [] Julei	

Application/Control Number: 09/823,583

Art Unit: 2637

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brett A. Hertzberg on March 30, 2005.

The application has been amended as follows:

In the Claims:

In claim 20, lines 1-2, "wherein the sampling circuit includes" has been changed to "further comprising"; line 3, "and the sampling circuit" has been changed to "and wherein the sampling circuit".

In claim 22, lines 1-2, "the digital control logic circuit further comprising" has been changed to "the sampling circuit comprising".

In claim 23, line 1, "an input signal that has" has been changed to "an input signal with an equalizer, wherein the input signal has"; lines 13-14, "a persistent condition that persists" has been changed to "the persistent condition, when the persistent condition persists".

In claim 26, line 3 and line 7, the word "form" has been changed to "from".

In claim 31, lines 2 and 9, "the persistence counter" has been changed to "the first persistence counter"; line 10, "the equalization setting" has been changed to "the equalization settings".

Application/Control Number: 09/823,583

Art Unit: 2637

In claim 33, line 8, "the comparator output" has been changed to "the comparator output signal".

In claim 37, line 4, "the equalization adjusts" has been changed to "the equalization level adjusts".

In claim 38, line 5, "is the persistent condition" has been changed to "is persistent".

In claim 39, line 9, "the comparator output" has been changed to "the comparator output signal".

In claim 403, line 8, "the comparator output" has been changed to "the comparator output signal".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to YOUNG T. TSE whose telephone number is (571) 272-3051. The examiner can normally be reached on Monday and Wednesday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571) 272-2988. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/823,583 Page 4

Art Unit: 2637

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YOUNG T. TSE Primary Examiner

/ Art Unit 2637